

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - Irrigation & CAD Department - Disciplinary action initiated against Sri E.Lakshmi Narasimhulu, DEE and (5) others for allegation of excess payment made to the contractor in execution of AVR HNSS Phase – I, Package No.33, Anantapur – Disciplinary proceedings concluded – Regularisation of suspension period as “On Duty” - Orders - Issued.

===== = =====

IRRIGATION & CAD (Vig.III.1) DEPARTMENT

G.O.RT.No. 525

Dt:06.09.2014

Read the following:

- 1) G.O.Rt.No.26, I & CAD (Ser.X.1) Department, dt.05.01.2013.
- 2) G.O.Rt.No. 40, I & CAD (Ser.X.1) Department, Dt:18.01.2014.
- 3) From the Chief Engineer, Quality Control, Rayalaseema Region, Kadapa Ir no.CE/QC/RR/Kadapa/DEE/V.1/Vol.II, dated 6.1.2014
- 4).G.O.Rt.478, I & CAD (Vig.III.1) Dept., Dt:16.08.2014
- 5).From Sri E. Lakshmi Narasimhulu, DEE, representation dated 21.8.2014.

&&&

ORDER:

It was brought to the notice of the Government that certain irregularities took place in execution of AVR HNSS Phase – I, Package No.33, Anantapur and Sri E. Lakshmi Narasimhulu, DEE and (5) other personnel of Irrigation Department were found responsible for the said irregularities.

2. In the reference 1st read above, Sri E.Lakshmi Narasimhulu, DEE has been placed under suspension. In the reference 2nd read above, orders were issued by revoking the suspension of Sri E. Lakshmi Narasimhulu, DEE without prejudice to the disciplinary proceedings pending against him.
3. Based on the final enquiry report submitted by the Chief Engineer, Quality Control, Rayalaseema region, Kadapa in the reference 3rd read above, Government have issued orders duly warning Sri E.Lakshmi Narasimhulu, DEE and (4) others to be more careful in future in G.O. 4th read above.
4. In the reference 5th read above, Sri E.Lakshmi Narasimhulu, DEE has requested to regularize the period of suspension i.e., from 07.01.2013 FN to 19.03.2014 AN as “on duty”.
5. Government after careful examination of the entire matter, hereby order to treat the suspension period of Sri E.Lakshmi Narasimhulu, DEE from 07.01.2013 to 19.03.2014 as “on duty” under FR 54-B(3).
6. The Engineer-In-Chief (Administration Wing), Irrigation & CAD Department, Hyderabad shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYA NATH DAS
PRINCIPAL SECRETARY TO GOVERNMENT

To

The Engineer-In-Chief (Admn.Wing), I & CAD Dept., A.P.,Hyderabad.
Sri E.Lakshmi Narasimhulu, DEE through the Engineer-In-Chief (Admn.Wing),
I & CAD Dept., A.P., Hyderabad.

Copy to:

The P.S. to the Hon’ble Minister for M (Irrg., CAD & WRM).
The P.S. to Principal Secretary to Government, I & CAD Dept, Hyderabad.
The Irrigation & CAD (Ser.I) Department for information
SF/spare

// FORWARDED : BY ORDER //

SECTION OFFICER